

Certificate of Conformance (COC)


Issued by CTC Shanghai Co., Ltd. Dongguan Branch, to the following model of PPE footwear:

Company name: CORTINA N.V.

Product Description: MEN CASUAL NURSING ATHLETIC

Style name/ Model/ SKU: CLARK, US9#

Gender: Male



This product meets the performance requirements of ASTM Specification F2892-18 and ASTM F3445-21 as tested in accordance with ASTM Test Methods F2412-18a and ASTM F2913 for the following safety hazards:

Safety hazards	CTC testing report No.	Issued date of report
5.3 Static Dissipative (SD) -5.3.1.4, SD 10 Footwear to ASTM F2892-18	D220405538_1	April 29, 2022
Slip resistance test to ASTM F3445-21	D220405538_1	April 29, 2022

Note :

1. This declaration applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report(s) referenced above.
2. This certificate is valid only for the applicant's selected test items and must not be used without the attached test report(s).

Issue date of certificate::
May 06, 2022

Issued in Dongguan by:
Kevin LEE
PPE Manager of CTC Greater China




CTC Shanghai Co., Ltd. Dongguan Branch

1 Floor, No.14 building, Small and Medium sized Enterprises Pioneer Park,
SSL Industry Park, Dongguan - P.R. CHINA
Tél. : +86 769 23 03 77 70 Fax : +86 769 23 03 77 71
E-mail : ctcdongguan@ctcgroupe.com