



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/1562/161/07/22/1345

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : **CORTINA N.V.**
MEERSBLOEM-MELDEN 42, B-9700 OUDENAARDE
BELGIUM

Description

PPE Type : *an occupational footwear*
Product reference : **PAOLA**
Article code : **BLK, NAV, FUX**
Construction and material of outsole : **Vulcanized, Rubber plate outsole + Rubber foxing**

Pictures :



Reference standard : **EN ISO 20347 : 2012**
Classification : **I** **Category :** **O1 SRC**
Size range : **35-42** **Slip resistance :** **SRC**
Toecap nature : **N/A** **Insert nature :** **N/A**

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from JULY 2022 and the instruction for use index N°2022v2

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Didier GUISADO

Certification and Quality Manager

Date of first issue : 12 July 2022

End of validity date : 12 July 2027



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

CORTINA N.V.

MANUFACTURER'S TECHNICAL FILE

Reference of the product : PAOLA

Article code : BLK, NAV, FUX

Technical file index : 01

Last update : JULY 2022

IDENTIFICATION

Reference of the product : PAOLA
Article Code : BLK, NAV, FUX
Basic model
Technical file index : 01
Last update : JULY 2022

Manufacturer :

CORTINA N.V.
MEERSBLOEM-MELDEN 42, B-9700 OUDENAARDE
BELGIUM

tel : 32 55 33 57 05

fax : N.A

Factory :

QINGDAO DOUBLESTAR IMP. & EXP. CO., LTD
ZHAOJIATUN VILLAGE, DAXINCUN TOWN, JIMO CITY, QINGDAO, SHANDONG
CHINA

Tel : 86-182 532 616 77

Fax : N.A

FOOTWEAR DESCRIPTION

Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: A : low shoe

Visual description:

General view :



Outsole view :



Reference of the mould : M2391

Range of sizes :

35-42

Construction and material of outsole :

Vulcanized, Rubber plate outsole + Rubber foxing

Field of use

Hospital and Medical industry for mechanical risks

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input type="checkbox"/>	Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Standard
			<input checked="" type="checkbox"/>	Instruction for use
			<input checked="" type="checkbox"/>	Marking

FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	91171-U1	EMBOSSSED COW ACTION LEATHER	BLACK, WHITE, WHITE
	91171-U1(+)	QUARTER - EMBOSSSED COW ACTION LEATHER PERFORATED	BLACK, WHITE, WHITE
	91171-AS1	METAL EYELETS	BLACK/SILVER, WHITE/SILVER & NAVY/SILVER, WHITE/ SILVER & FUXIA/SILVER
COLLAR	91171-U1	EMBOSSSED COW ACTION LEATHER	BLACK, WHITE, WHITE
	91171-U2	COLLAR BACK - NEOPRENE FABRIC	BLACK, NAVY, FUXIA
TONGUE	91171-U1	EMBOSSSED COW ACTION LEATHER	BLACK, WHITE, WHITE
	91171-U3	TONGUE BINDING - NEOPRENE PIPING	BLACK, NAVY, FUXIA
VAMP LINING	91171-L1	COOLMAX MESH	BLACK, WHITE, WHITE
QUARTER LINING	91171-L1	QUARTER/ SEAT REGION/ TONGUE LINING - COOLMAX MESH	BLACK, WHITE, WHITE
INSOCK	91171-ISK1	INSOCK - SJ MESH + SJ FOAM (PU), REMOVABLE & NON-PERFORATED	WHITE/ GREY/ BLACK/ BLUE
OUTSOLE	M2391	RUBBER OUTSOLE PLATE + RUBBER FOXING	BLACK/GREY, WHITE/NAVY, WHITE/FUXIA
INSOLE	91171-ISL1 + 91171-ISL2	CARDBOARD (HEEL TO MIDDLE PART OF FOOT) + [CONDUCTIVE CLOTH (FOREPART)] + CARDBOARD (TIP OF FOOT)	BEIGE + WHITE/ GOLDEN
DECORATIVE ELEMENTS		"ESD" PRINTING ON COUNTER	YELLOW/ BLACK
		TONGUE - "SAFETY JOGGER WORKS" PRINTING	BLACK/ GREY/ BLUE
		LASTING STRIP STITCHED WITH UPPER (UNDER INSOLE): FABRIC	WHITE

PROTECTION SCOPE

Basic requirements :

This product has been designed to be an occupational footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20347 : 2012 : Personal protective equipment - Occupational footwear

It is a category II product

Requirement of the standard EN ISO 20347 : 2012 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20347 : 2012 concerning

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)

Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region

MARKING - PACKAGING

Information printed on the footwear :

- * Logo of the Manufacturer
- * Logo **CE**
- * Manufacturer's type designation
- * Postal address of manufacturer
- * Footwear's reference **PAOLA**
- * Article code **BLK, NAV, FUX**
- * Size
- * Year of manufacture and at least quarter
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements

Marking example :



The location of marking is : Print at back side of tongue

Method of marking on the footwear :

Print at back side of tongue

Packaging :

one pair in one inner box with wrapping paper

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	References	Laboratory	References
CTC	D210509327_2	CTC	D211226104_1
CTC	D210509329_1	CTC	D211226105_1
CTC	D210712855_1	CTC	D220101584_1
CTC	D210714484_1	CTC	D220202097_1
CTC	D211019455_1	CTC	D220202098_1
CTC	D211019460_1	CTC	D220405458_1
CTC	D211122514_1	CTC	D220509178_1
CTC	D211226097_1	CTC	D220509280_1

MEANS OF CONTROL

we control quality for our safety shoes as below:

When the raw materials arrive, the Q.C will pick up some samples from them for testing in accordance with revised standard EN ISO 20345:2011 and EN ISO 20347:2012, different materials are tested in different ways. Test leather with tear strength, tensile and PH/Cr VI, composite toe cap with impact resistance and compression resistance, mesh with tear strength and abrasion as lining, and so on. We have special Q.C. for leather, inspecting leather one piece by one piece. After the test, we use in production. Otherwise, it's forbidden to use them in mass production.

During production in factories, each procedure gets Q.C. supervising production. Material cutting, stitches, upper finish, sole injection, shoe tidying, packing, each working desk gets Q.C. there. If Q.C. find some problems, need to solve them at once, in order that no any problems will occur in finished shoes with good quality.

for this reference PAOLA, during the production, Q.C. depart. pick some shoes to test for each batch on bonding of upper/sole, slip resistance SRC and antistatic.

Besides this, our customers have their own Q.C. in factories, we do the most parts of the work, but they are also important to the quality control. They supervise the quality of the factories and push us to improve.

PPE subject to ageing :

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity :

Available on : <http://dw.safetyjogger.com/?dir=certificates>